

Houston SCCA Sound Metering Event # 3 2024 Heat # 1

Number	Class	Db	Number	Class	Db
1	EM	95.5	41	CSM	91.8
43	EM	103.4	77	FS	95.6
7	EM	94.4	22	N	92.2
75	NSTR	101.3	42	CAMS	99.1
82	EM	100.4	1	CAMS	89.4
41	CSM	95.8	876	NBS	95.4
164	BS	82.2	70	CAMS	90.6
71	STR	91.4	82	EM	98.4
43	STR	87.7	95	FS	96.8
418	CAML	98.0	10	STR	85.1
14	STR	95.0	71	FS	93.2
126	FS	86.5	99	SSC	86.8
477	BS	81.2	137	NSTR	89.7
7	FS	83.9	75	XB	98.2
4	BS	92.4	36	STR	96.5
69	CAMS	107.5	41	CAME	97.5
13	STR	95.2	22	CAMS	93.3
370	FS	89.8	1	EM	96.0
76	STR	94.5	82	EM	100.1
17	CAML	90.4	43	EM	104.2
11	FS	90.4	75	NSTR	89.7
85	STR	94.2	71	STR	84.2
1	NSTR	82.4	415	CAME	99.2
177	STR	81.7	14	STR	86.7
19	BS	86.9	34	STR	83.6
1	EM	95.9	41	CAME/SM	92.0
43	EM	99.1	126	FS	88.1
5	NSTR	92.0	477	BS	80.8
82	EM	102.4	7	FS	85.9
41	-	-	4	BS	95.0
64	BS	86.6	69	CAMS	103.9
71	STR	84.0	13	STR	95.5
34	STR	88.0	164	BS	81.2

Houston SCCA Sound Metering Event # 3 2024 Heat # 1

Number	Class	Db		Number	Class	Db
76	STR	85.5		1	EM	97.8
17	CAMC	91.4		43	EM	103.4
11	FS	89.3		82	EM	101.6
370	FS	90.6		75	NSTR	92.6
85	STR	92.1		71	STR	93.1
1	NSTR	83.3		34	STR	79.1
717	STR	84.6		41	CSM	91.2
19	BS	87.4		164	BS	85.0
1	EM	96.2		415	CAMC	96.8
43	EM	103.1		14	STR	89.2
82	EM	102.5		36	STR	96.4
5	NSTR	86.9		126	FS	91.4
71	STR	94.2		477	BS	92.9
34	STR	86.2		7	FS	86.1
41	CSM	92.0		4	BS	91.3
19	BS	90.6		69	CAMS	105.8
1	EM	92.6		370	CBS	96.0
64	BS	89.9		76	STR	86.7
77	FS	95.8		17	CAMC	92.9
22	N	88.0		11	FS	87.5
42	CAMS	101.6		85	STR	94.7
1	CAMS	88.7		1	NSTR	85.1
876	NBS	90.2		717	STR	85.1
70	CAMS	87.0		19	BS	88.5
95	FS	96.6		1	EM	95.2
10	STR	84.3		43	EM	103.3
71	FS	94.9		82	EM	97.4
99	SSC	87.6		5	NSTR	85.5
137	NSTR	86.7		71	STR	84.7
75	XB	99.6		43	STR	87.1
26	STR	95.3		41	DB	91.0
41	CAMC	96.6		64	BS	87.3
22	CAMS	92.8		82	EM	98.2

Houston SCCA Sound Metering Event # 3 20 24 Heat # 1

Number	Class	Db		Number	Class	Db
5	NSTR	83.4		17	CAM	90.2
77	FS	95.6		11	FS	97.6
22	N	90.6		85	STR	94.6
42	CAMS	100.4		1	NSTR	82.8
1	CAMS	88.6		717	STR	82.9
876	NDS	91.1		19	BS	89.0
70	CAMS	88.3		1	EM	94.7
95	FS	97.4		43	EM	103.2
10	STR	87.2		71	STR	85.4
71	FS	94.9		43	STR	96.5
99	SSC	86.7		64	BS	87.9
137	NSTR	88.4		82	EM	99.4
75	XB	100.7		5	NSTR	92.6
36	STR	96.3		77	BS	95.3
41	CAMC	96.0		41	CSM	91.5
22	CAMS	95.2		22	N	90.6
1	EM	94.3		1	CAMS	89.5
43	EM	104.3		876	NDS	91.6
71	STR	89.5		42	CAMS	100.5
34	STR	93.8		70	CAMS	89.8
41	CSM	92.0		95	FS	98.7
164	BS	86.5		10	STR	86.6
82	EM	97.6		71	FS	92.5
75	NSTR	87.6		99	SSC	83.1
415	CAMC	99.0		137	NSTR	89.1
14	STR	86.7		75	XB	100.1
126	FS	90.0		36	STR	96.2
477	BS	83.2		41	CAMC	95.7
7	FS	84.3		22	CAMS	94.7
4	BS	92.2		75	XB	100.5
69	CAMS	104.3		41	CSM	92.1
370	FS	90.1				
96	STR	84.9				

Houston SCCA Sound Metering Event # 3 20 24 Heat # 2

Number	Class	Db		Number	Class	Db
25	SMF	92.8		417	LHS	83.1
986	DSP	102.7		229	STU	80.2
29	STU	85.1		89	NSM	86.6
89	NSM	87.2		953	CAMT	93.7
197	CS	85.6		416	CAMT	89.2
168	XA	86.1		986	DSP	100.5
75	XA	96.6		89	LDS	96.8
21	STU	89.1		2	STU	99.2
3	SMF	88.1		79	SMF	86.8
44	CS	83.4		23	NSTU	85.1
49	XA	92.0		113	SMF	93.1
79	XA	85.4		48	STU	87.2
17	STU	86.9		13	XA	89.1
32	CS	81.9		74	CS	92.9
111	NSMF	105.8		22	STU	85.5
95	NSM	92.8		37	DM	95.2
24	SMF	88.5		60	CS	84.2
59	SMF	94.8		25	NSM	95.5
8	STU	92.7		29	STU	81.2
41	STSL	103.6		89	NSM	89.5
14	SMF	95.8		986	DSP	101.2
290	SMF	88.1		197	CS	86.3
77	STU	87.3		168	XA	95.4
13	NSTU	89.1		953	CAMT	97.1
25	SMF	93.3		416	CAMT	91.3
986	DSP	100.2		75	XA	98.0
229	STU	81.1		21	STU	91.7
89	NSM	81.2 *		3	SMF	88.3
59	SMF	95.1		44	CS	86.3
97	CS	84.1		49	XA	88.0
68	XA	88.6		79	XA	85.1
775	FS L	95.4		17	STU	87.6
99	CS	78.9		32	CS	88.9

Houston SCCA Sound Metering Event # 3 2024 Heat # 2

Number	Class	Db		Number	Class	Db
111	NSMF	102.1		29	STU	84.1
95	NSM	94.4		89	NSM	85.6
24	SMF	91.1		985	DSP	102 101.7
59	SMF	93.6		187	CS	87.0
8	STU	87.2		168	XA	88.7
41	STSL	103.8		75	XA	100.0
14	SMF	93.9		21	STU	89.6
290	SMF	90.4		3	SMF	85.6
77	STU	87.8		44	CS	87.3
13	NSTU	90.9		49	XA	86.8
24	SMF	90.1		79	XA	89.3
59	SMF	94.8		17	STU	85.9
8	STU	89.8		32	CS	88.5
89	NSM	8 88.9		111	NSMF	103.2
229	STU	90.2		953	CAMT	91.9
986	DSP	99.2		85	NSM	95.0
97	CS	87.8		290	SMF	91.2
68	XA	93.1		77	STU	89.1
775	FSL	90.0		41	STSL	103.4
99	CS	86.0		14	SMF	95.8
25	NSM	98.9		416	CAMT	91.2
714	LHS	86.1		13	NSTU	89.0
99	LDS	97.1		24	SMF	88.8
2	STU	100.1		59	SMF	94.6
79	SMF	86.4		229	STU	84.5
23	NSTU	82.1		89	NSM	90.6
113	SMF	93.3		986	DSP	99.7
48	STU	88.7		97	CS	87.2
13	XA	99.1		68	XA	85.2
74	CS	88.7		8	STU	90.7
22	STU	93.0		775	FSL	92.2
37	DM	91.8		99	CS	86.3
60	CS	83.3		25	NSM	99.5

Houston SCCA Sound Metering Event # 3 20 24 Heat # 2

Number	Class	Db		Number	Class	Db
714	LHS	83.6		14	SMF	95.0
99	LDS	96.9		416	CAMT	94.4
2	STU	101.0		75	XA	99.0
79	SMF	87.1		13	NSTU	86.3
23	NSTU	85.4		24	SMF	91.5
113	SMF	95.5		59	SMF	94.7
48	STU	89.3		229	STU	91.1
13	XA	92.1 *		89	NSM	88.1
74	CS	86.1 *		986	DSP	99.3
22	STU	87.4		68	XA	86.7
37	DM	94.5		8	STU	88.3
60	CS	83.0		775	FSL	94.3
29	STU	87.0		99	CS	85.7
89	NSM	89.4		25	NSM	102.2
986	DSP	97.9		714	LHS	83.4
97	CS	87.2		99	LDS	96.8
168	XA	95.3		2	STU	100.6
75	XA	99.1		79	SMF	86.8
21	STU	90.7		23	NSTU	88.1
3	SMF	87.2		113	SMF	95.1
44	CS	88.0		48	STU	88.6
49	XA	86.4		13	XA	91.7
79	XA	85.3		74	CS	88.1
17	STU	85.5		22	STU	89.3
32	CS	83.8		77	DM	96.0
111	NSMF	104.4		60	CS	82.4
953	CAMT	91.5				
95	NSM	91.4				
290	SMF	92.6				
77	STU	84.7				
21	STU	92.2				
3	SMF	84.9				
41	STSL	103.0				

Houston SCCA Sound Metering Event # 3 2024 Heat # 3

Number	Class	Db	Number	Class	Db
187	X	83.5	66	STH	82.8
174	X	93.4	60 70	N	80.8
60	SS	82.8	7	SS	87
59	CP	96.7	4A	STH	80.7
96	CP	89.3	4	N	86.2
9	SST	85.3	6	STH	80.7
311	SS	85.5	38	SST	94.3
13	STT	84.5	211	HS HS	82.8
307	STH	81.8	91	HS	85
41	XCSM	91.4	177	XA	103.7
85	X	84.7	77	SS	96.8
10	SST	99.2	94	XES	92.1
58	X	105.4	57 57	XCS	83.3
92	X	95.4	2	N	76.6
325	STH	94.1	47	N	76.7
27	STH	96.5	66	SST	91.6
71	X	95	419	STH	80.8
13	X	77.2	71	N	78.3
12	N	78.4	5	SS	92.2
82	X	89.5	125	X	89.7
57	HS	79.2	187	X	80.9
8	X	81.3	174	X	92.7
541	STH	84.3	60	SS	82.0
10	STH	94.3	59 59	CP	93.2
90	X	97.2	196	CP	87.4
87	X	81.1	9	SST	90.2
74	X	94.1	311	SJ	89.2
600	SS	83.8	13	STH	90.5
59	CP	94.2	307	STH	85.7
96	CP	87.3	41	XCSM	94.8
9	SST	96.6	85	X	85.4
311	SS	89	10	SST	84.5
113	STH	82.1	88	X	100.3

Houston SCCA Sound Metering Event # 3 2024 Heat # 3

Number	Class	Db	Number	Class	Db
225	STH	89.2	47	N	79.5
27	STH	101.9	66	SST	91.4
71	X	95.8	419	STH	85
13	X	76.4	71	N	83.2
12	N	82.9	5	SS	92.5
90	X	99.4	187	X	86.3
608	XXA	86.8	174	X	92.5
57	SS HS	77.6	60	SS	83.7
A	X	91	159	CP	98.3
541	STH	85.6	96	CP	88.0
87	X	78.2	97	SST	85.8
74	X	92.5	311	SS	87.1
60	SS	81.5	13	STH	84.1
159	CP	94.5	307	STH	84.3
96	CP	89.5	41	X	92
9	SST	88.2	85	X	87.7
311	SS	85.2	10	SST	97.2
13	STH	83.7	58	X	104.5
66	STH	80.9	98	X	74.2
70	N	79.4	325	SS STH	91.5
7	SS	85.9	27	STH	95.4
48	STH	81.4	90	X	95.7
4	N	84.8	71	X	95.8
6	STH	84.9	13	X	86.1
125	X	90.1	12	N	77
24	HS	85.5	608	X	87.2
38	SST	97.7	57	HS	77.2
91	HS	81.7	8	X	89.7
177	XA	101.7	10	STH	86.1
77	SS	96.8	87	X	84.2
94	X	87.3	74	X	93.8
507	X	86.4	60	SS	83.4
2	N	77	159	CP	93

Fleet #3

196	CP	88.4
99	SST	92.4
311	DB	90.3
113	STH	86.1
06	STH	84.2
70	N	79.7
7	SS	87.5
48	STH	80.2
4	N	81.4
0	STH	81.5
125	X	88.4
244	HS	84.1
38	N	102
91	HS	88.5
177	XA	100.0
77	SS	90.4
94	X	85.5
57	X	84.6
2	N	81.3
06	SST	91.7
47	N	78.0
21	N	80.4
419	STH	84.0
5	SS	93.2
187	X	79.5
174	X	92.8
00	SS	84.3
159	CP	91.0
196	CP	88.4
99	SST	79.9
311	DB	93.7
113	STH	86.2
307	STH	85.4
85	X	83.4
10	SST	98.3

41	X	91.4
58	X	105.6
0078	X	97.6
325	STH	102.7
27	STH	95.2
90	X	98.8
71	X	79.7
13	X	80.0
12	N	80.1
08	X	87.3
57	HS	78.8
9	X	90.8
541	STH	75.6
10	STH	81.6
87	X	78.0
74	X	91.8
00	SS	91.3
96	CP	91.7
99	SST	82.2
311	DB	84.6
113	STH	82.4
71	X	91.4
60	STH	83.0
70	N	79.4
7	SS	80.8
48	STH	78.2
4	N	80.0
6	STH	77.4
125	X	89.4
24	HS	82.1
38	N	100.4
91	HS	85.6
177	XA	105.3
77	SS	97.3
94	X	84.7

Fleet #3

57	X	83.4
2	N	76.2
47	N	78.0
66	SST	90.6
419	STH	82.7
71	N	77.7
5	SS	92.9

3/3/24 HEAT 4

99 DS 94.1)

3 DS 88.7

52 NDS 84.9

13 DS 78.6

87 DS 80.2

88 DS 88.0

84 ES 88.0

11 STX 95.0

33 88.1

19 FSP 92.1

129 NDS 87.5

54 GS 87.0

6 NDS 84.9

61 AS 83.5

99 FSP 87.6

37 GS 86.6

62 STX 93.9

390 STX 90.8

7 ES 81.1

33 XP 91.2

90 STS 86.9

19 STS 93.5

70 DS 88.5

90 DS 87.8

24 DS 81.1

186 ES 85.5

47 STS 90.4

41 STS 101.5

7 NAS 83.6

34 STS 84.9

35 DS 79.9

17 ES 86.4

220 CAMT 90.7

106 NDS 81.4

54 GS 86.0

629 NDS 82.7

6 NDS 85.1

61 AS 84.8

99 FSP 89.6

6 ES 91.6

69 XP 99.1

333 AS 85.2

23 DS 93.1

99 DS 97.6

13 DS 91.5

190 STS 92.6

52 NDS 82.2

87 DS 79.2

88 NDS 85.6

84 ES 86.8

11 STX 97.5

33 DS 80.7

19 FSP 87.8

54 GS 80.4

129 NDS 82.9

6 NDS 77.1

61 AS 84.5

99 FSP 87.0

37 GS 85.1

62 STX 90.1

390 STX 92.4

19 STS 92.9

7 ES 85.8

33 XP 88.3

90 STS 84.7

70 DS 86.9

90 DS 89.8

24 DS 84.1

186 ES 83.6

47 STS 91.0

41 STS 101.5

7 NAS 90.8

34 STS 88.8

35 DS 86.9

17 ES 82.8

220 CAMT 92.8

106 NDS 85.0

54 GS 82.9

129 NDS 83.6

6 NDS 78.4

61 AS 81.1

99 FSP 88.4

190 STS 91.5

6 ES 90.6

69 XP 87.6

333 AS 88.0

23 DS 89.9

99 DS 94.7

13 DS 89.7

54 NDS 90.2

88 DS 86.6

87 DS 85.6

84 ES 86.1

11 STX 92.9

33 DS 87.0

19 FSP 90.2

3/3/24 HEAT 4

CLASS dba

~~54~~ 65 EV
709 XDP 90.5
129 NDS 77.6
15 STS 92.3
161 AS ~~AS~~ 80.2
16 DS 92.1
90 FSP 89.2
62 STX 89.9
37 GS 78.0
390 STX 91.5
7 ES 84.0
90 STS 91.5
33 XP 86.3
70 DS 86.6
90 DS 88.8
24 AS 88.6
186 ES 89.8
47 STS 93.2
41 STS 99.9
7 NAS 83.8
34 STS 96.1
90 STS 86.4
35 DS 85.3
17 ES 94.0

220 ~~CANT~~ 93.5
106 NDS 86.4
54 GS 86.2
709 XDP 91.7
629 NDS 85.0
140 STS 94.4
161 AS 88.0
16 DS 83.3
99 FSP 88.0
6 ES 88.5
69 XP 99.9
333 AS 94.0
23 DS 93.2
99 DS 97.4
13 DS 80.0
52 NDS 89.6
88 NDS 87.4
87 DS 81.5
84 ES 89.3
11 STX 94.9
33 DS 82.8
19 DSP 91.3
54 GS 84.6
129 NDS 86.5
709 XDP 94.2
19 STS 94.7
161 AS 83.5
99 FSP 87.0

16 DS 78.1
37 GS 77.7
62 STX 86.3
390 STX 91.9
7 ES 85.4
33 93.0
90 STS 86.0
161 AS 85.0
19 STS 94.0
99 FSP 87.0
70 DS 87.1
90 DS 90.1
24 DS 87.6
186 ES 82.7
47 STS 93.9
41 STS 99.5
7 NAS 86.6
34 STS 93.2
35 DS 90.6
17 ES 85.8
220 CANT 94.4
106 NDS 88.5
54 GS 85.2
629 NDS 82.7
16 DS 80.4
161 AS 83.0
99 FSP 92.5
6 ES 91.0
69 XP 100.1